

Abortion Coding Examples

Choose your own cases

Lisa Hofler, MD, MPH, MBA

Melanie Witt, RN, MA

Angela Chen, MD, MPH

Disclosures


- No financial disclosures
- Lisa Hofler and Angela Chen are not certified coders



ICD10 Consult

Evan Schoenberg, M.D.

Smart, quick medical coding

4.0 ★ 8K+ Reviews  Medical

Codes, quickly

- ICD-10
- CPT
- HCPCS or “J codes”

- RVUs
- Facility

- Case 6: Medication abortion with ultrasound follow up
- Case 9: EPL Case 1 – Office evaluation and D&C
- Case 7: First Trimester D&C abortion with immediate copper IUD insertion
- Case 14: Induction Abortion With Digoxin
- Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up
- Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS
- Case 12: Outpatient consultation for D&E, D&E procedure in office
- Case 8: Pregnancy of Unknown Location, requiring second D&C
- Case 11: EPL Case 3 – ultrasound guidance by another provider
- Case 15: Pre-abortion procedures with Office Delivery

Case 6: Office medication abortion with ultrasound follow up

Initial encounter

- 20yo G1 at 9.5 weeks comes for pregnancy options counseling
- After ultrasound and options counseling: chooses medication abortion
- After contraception counseling: chooses ring
- Has office labs and medications administered

Follow-up encounter

- Returns for ultrasound follow up, confirming completed medication abortion

Case 6, Initial Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx and exam and moderate complexity MDM		
	99213, expanded problem focused hx and exam, low complexity MDM		
	99202, expanded problem focused hx and exam with straightforward MDM		
	99203, detailed hx and exam with low complexity MDM		
	76801, OB ultrasound <14 weeks		
ICD-10-CM Code Choices			
1	Z31.89, Encounter for other procreative management		
2	Z30.015, Encounter for initial prescription of vaginal ring hormonal contraceptive		
3	Z30.09, Encounter for other general counseling and advice on contraception		
4	Z64.0, Problems related to unwanted pregnancy		
5	Z33.2, Encounter for elective termination of pregnancy		
6	O36.80X0, Pregnancy with inconclusive fetal viability, not applicable or unspecified		
7	Z36.89, Encounter for other specified antenatal screening		
HCPCS Codes			
	S0190, Mifepristone, oral, 200 mg		
	S0191, Misoprostol, oral, 200 mcg		
	J3490, unclassified drug		
	J7303, Contraceptive supply, hormone containing vaginal ring, each		

Case 6, Initial Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx and exam and moderate complexity MDM		
	99213, expanded problem focused hx and exam, low complexity MDM	-25	5, 4, 2
	99202, expanded problem focused hx and exam with straightforward MDM	-25	5, 4, 2
	99203, detailed hx and exam with low complexity MDM		
	76801, OB ultrasound <14 weeks	-26	7
ICD-10-CM Code Choices			
1	Z31.89, Encounter for other procreative management		
2	Z30.015, Encounter for initial prescription of vaginal ring hormonal contraceptive		
3	Z30.09, Encounter for other general counseling and advice on contraception		
4	Z64.0, Problems related to unwanted pregnancy		
5	Z33.2, Encounter for elective termination of pregnancy		
6	O36.80X0, Pregnancy with inconclusive fetal viability, not applicable or unspecified		
7	Z36.89, Encounter for other specified antenatal screening		
HCPCS Codes			
	S0190, Mifepristone, oral, 200 mg		
	S0191, Misoprostol, oral, 200 mcg		
	J3490, unclassified drug		
	J7303, Contraceptive supply, hormone containing vaginal ring, each		

Case 6, Follow-up Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99213, expanded problem focused hx and exam, low complexity MDM		
	99214, detailed hx and exam and moderate complexity MDM		
	76815, Ultrasound, pregnant uterus, limited		
	76830, Ultrasound, transvaginal		
	76817, Ultrasound, pregnant uterus, real time with image documentation, transvaginal		
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	Z09, Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm		
3	Z30.09, Encounter for other general counseling and advice on contraception		
4	Z30.015, Encounter for initial prescription of vaginal ring hormonal contraceptive		
5	Z36.2, Encounter for other antenatal screening follow-up		
HCPCS Codes			
	S0190, Mifepristone, oral, 200 mg		
	S0191, Misoprostol, oral, 200 mcg		
	J3490, unclassified drug		
	J7303, Contraceptive supply, hormone containing vaginal ring, each		

Case 6, Follow-up Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99213, expanded problem focused hx and exam, low complexity MDM	-25	2, 3
	99214, detailed hx and exam and moderate complexity MDM		
	76815, Ultrasound, pregnant uterus, limited		
	76830, Ultrasound, transvaginal		
	76817, Ultrasound, preg uterus, real time with image documentation, transvaginal	-26	5
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	Z09, Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm		
3	Z30.09, Encounter for other general counseling and advice on contraception		
4	Z30.015, Encounter for initial prescription of vaginal ring hormonal contraceptive		
5	Z36.2, Encounter for other antenatal screening follow-up		
HCPCS Codes			
	S0190, Mifepristone, oral, 200 mg		
	S0191, Misoprostol, oral, 200 mcg		
	J3490, unclassified drug		
	J7303, Contraceptive supply, hormone containing vaginal ring, each		

- Case 6: Medication abortion with ultrasound follow up
- Case 9: EPL Case 1 – Office evaluation and D&C
- Case 7: First Trimester D&C abortion with immediate copper IUD insertion
- Case 14: Induction Abortion With Digoxin
- Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up
- Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS
- Case 12: Outpatient consultation for D&E, D&E procedure in office
- Case 8: Pregnancy of Unknown Location, requiring second D&C
- Case 11: EPL Case 3 – ultrasound guidance by another provider
- Case 15: Pre-abortion procedures with Office Delivery

Case 7: First Trimester D&C abortion with immediate copper IUD insertion

- 23yo G2P1 at 9.5 weeks comes for pregnancy options counseling
- After ultrasound and options counseling: chooses aspiration abortion
- After contraception counseling: chooses copper IUD
- Has office labs and medications administered
- Has D&C with moderate sedation and IUD insertion immediately following the procedure
- Discharged home stable

Case 7

CPT	CPT Code Choices	Modifier	ICD Choice
	99204/99214; comprehensive hx & PE with moderate MDM; detailed hx or PE with moderate MDM		
	99203/99214; detailed hx & PE with low complexity MDM; detailed hx or PE with moderate MDM		
	76801, Ob ultrasound < 14 weeks gestation		
	59840, Induced abortion, by dilation and curettage		
	59841, Induced abortion, by dilation and evacuation		
	58300, Insertion of intrauterine device (IUD)		
ICD-10-CM Code Choices			
1	Z30.430, Encounter for insertion of intrauterine contraceptive device		
2	Z30.014, Encounter for initial prescription of intrauterine contraceptive device		
3	Z30.09, Encounter for other general counseling and advice on contraception		
4	Z64.0, Problems related to unwanted pregnancy		
5	Z33.2, Encounter for elective termination of pregnancy		
6	O36.80X0, Pregnancy with inconclusive fetal viability, not applicable or unspecified		
7	Z36.89, Encounter for other specified antenatal screening		
HCPCS Codes			
	J7297, Levonorgestrel-releasing intrauterine contraceptive system (liletta), 52 mg		
	J7298, Levonorgestrel-releasing intrauterine contraceptive system (Mirena), 52 mg		
	J7300, Intrauterine copper contraceptive		

Case 7

CPT	CPT Code Choices	Modifier	ICD Choice
	99204/99214; comprehensive hx & PE with moderate MDM; detailed hx or PE with moderate MDM	-25	3, 4
	99203/99214; detailed hx & PE with low complexity MDM; detailed hx or PE with moderate MDM		
	76801, Ob ultrasound < 14 weeks gestation	-26	7
	59840, Induced abortion, by dilation and curettage		5
	59841, Induced abortion, by dilation and evacuation		
	58300, Insertion of intrauterine device (IUD)	-51	1
ICD-10-CM Code Choices			
1	Z30.430, Encounter for insertion of intrauterine contraceptive device		
2	Z30.014, Encounter for initial prescription of intrauterine contraceptive device		
3	Z30.09, Encounter for other general counseling and advice on contraception		
4	Z64.0, Problems related to unwanted pregnancy		
5	Z33.2, Encounter for elective termination of pregnancy		
6	O36.80X0, Pregnancy with inconclusive fetal viability, not applicable or unspecified		
7	Z36.89, Encounter for other specified antenatal screening		
HCPCS Codes			
	J7297, Levonorgestrel-releasing intrauterine contraceptive system (liletta), 52 mg		
	J7298, Levonorgestrel-releasing intrauterine contraceptive system (Mirena), 52 mg		
	J7300, Intrauterine copper contraceptive		

Case 7: Possible other billable services

- 36415, venipuncture*
- 64435, paracervical block*
- 85018, POC hemoglobin
- 96374/96375, IV push, initial and subsequent substance/med
 - J3010 fentanyl citrate, 0.1 mg
 - J2250 midazolam hydrochloride, 1 mg
- 99152/99153, moderate sedation performed by the surgeon*
 - Requires modifier -47 on surgical code
- 99156/99157, moderate sedation performed by another physician

- Case 6: Medication abortion with ultrasound follow up
- Case 9: EPL Case 1 – Office evaluation and D&C
- Case 7: First Trimester D&C abortion with immediate copper IUD insertion
- Case 14: Induction Abortion With Digoxin
- Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up
- Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS
- Case 12: Outpatient consultation for D&E, D&E procedure in office
- Case 8: Pregnancy of Unknown Location, requiring second D&C
- Case 11: EPL Case 3 – ultrasound guidance by another provider
- Case 15: Pre-abortion procedures with Office Delivery

Case 8: Pregnancy of Unknown Location, requiring second D&C

Initial encounter

- 23yo G2P1 at 4.5 weeks comes for pregnancy options counseling
- After ultrasound and options counseling: PUL, chooses aspiration
- After contraception counseling: chooses condoms
- Has office labs and medications administered
- Has D&C and plan for serial hCG levels

Follow-up encounter

- hCG levels rose; ultrasound confirms ongoing pregnancy
- Has D&C with moderate sedation

Case 8, Initial Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99204/99214; comprehensive hx & PE with moderate MDM; detailed hx or PE with moderate MDM		
	99203/99214; detailed hx & PE with low complexity MDM; detailed hx or PE with moderate MDM		
	76801, Ob ultrasound < 14 weeks gestation		
	76817, Ultrasound, pregnant uterus, real time with image documentation, transvaginal		
	59840, Induced abortion, by dilation and curettage		
ICD-10-CM Code Choices			
1	Z30.018, Encounter for initial prescription of other contraceptives		
2	Z64.0, Problems related to unwanted pregnancy		
3	Z33.2, Encounter for elective termination of pregnancy		
4	Z36.87, Encounter for antenatal screening for uncertain dates		
5	Z36.89, Encounter for other specified antenatal screening		
HCPCS Codes			

Case 8, Initial Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99204/99214; comprehensive hx & PE with moderate MDM; detailed hx or PE with moderate MDM	-25	1, 2
	99203/99214; detailed hx & PE with low complexity MDM; detailed hx or PE with moderate MDM		
	76801, Ob ultrasound < 14 weeks gestation		
	76817, Ultrasound, preg uterus, real time with image documentation, transvaginal	-26	4
	59840, Induced abortion, by dilation and curettage		3
ICD-10-CM Code Choices			
1	Z30.018, Encounter for initial prescription of other contraceptives		
2	Z64.0, Problems related to unwanted pregnancy		
3	Z33.2, Encounter for elective termination of pregnancy		
4	Z36.87, Encounter for antenatal screening for uncertain dates		
5	Z36.89, Encounter for other specified antenatal screening		
HCPCS Codes			

Case 8, Follow-up Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	76817, Ultrasound, pregnant uterus, real time with image documentation, transvaginal		
	76801, Ob ultrasound < 14 weeks gestation		
	99214, detailed hx or PE with moderate MDM		
	59840, Induced abortion, by dilation and curettage		
	59812, Treatment of incomplete abortion, any trimester, completed surgically		
ICD-10-CM Code Choices			
1	Z48.816, Encounter for surgical aftercare following surgery on the genitourinary system		
2	Z36.2, Encounter for other antenatal screening follow-up		
3	Z33.2, Encounter for elective termination of pregnancy		
4	O07.4, Failed attempted termination of pregnancy without complication		
HCPCS Codes			

Case 8, Follow-up Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	76817, Ultrasound, preg uterus, real time with image documentation, transvaginal	-26	2
	76801, Ob ultrasound < 14 weeks gestation		
	99214, detailed hx or PE with moderate MDM		
	59840, Induced abortion, by dilation and curettage	-78	4
	59812, Treatment of incomplete abortion, any trimester, completed surgically		
ICD-10-CM Code Choices			
1	Z48.816, Encounter for surgical aftercare following surgery on the genitourinary system		
2	Z36.2, Encounter for other antenatal screening follow-up		
3	Z33.2, Encounter for elective termination of pregnancy		
4	O07.4, Failed attempted termination of pregnancy without complication		
HCPCS Codes			

Case 8: Possible other billable services

- 36415, venipuncture*
- 64435, paracervical block*
- **81025, urine pregnancy test**
- 96374/96375, IV push, initial and subsequent substance/med
 - J3010 fentanyl citrate, 0.1 mg
 - J2250 midazolam hydrochloride, 1 mg
- 99152/99153, moderate sedation performed by the surgeon*
 - Requires modifier -47 on surgical code
- 99156/99157, moderate sedation performed by another physician

- Case 6: Medication abortion with ultrasound follow up
- Case 9: EPL Case 1 – Office evaluation and D&C
- Case 7: First Trimester D&C abortion with immediate copper IUD insertion
- Case 14: Induction Abortion With Digoxin
- Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up
- Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS
- Case 12: Outpatient consultation for D&E, D&E procedure in office
- Case 8: Pregnancy of Unknown Location, requiring second D&C
- Case 11: EPL Case 3 – ultrasound guidance by another provider
- Case 15: Pre-abortion procedures with Office Delivery

Case 9: EPL Case 1 – Office evaluation and D&C

- 33yo G4P1021 comes to confirm viability after 4mm CRL with no HR
- After ultrasound diagnosis of EPL and options counseling: chooses aspiration
- After contraception counseling: chooses COCPs
- Has office labs and medications administered
- Has D&C with oral sedation
- Discharged home stable

Case 9

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx or PE with moderate MDM		
	59820, Treatment of missed abortion, completed surgically; first trimester		
	76801, Ob ultrasound < 14 weeks gestation		
	76817, Ultrasound, preg uterus, real time with image documentation, transvaginal		
	36415, venipuncture		
ICD-10-CM Code Choices			
1	O02.1, Missed abortion		
2	Z30.011, Encounter for initial prescription of contraceptive pills		
3	Z30.09, Encounter for other general counseling and advice on contraception		
4	O26.21, Pregnancy care for patient with recurrent pregnancy loss, first trimester		
5	Z36.2, Encounter for other antenatal screening follow-up		
6	Z31.438, Encounter for other genetic testing of female for procreative management		
7	Z3A.09, 9 weeks gestation of pregnancy		
HCPCS Codes			

Case 9

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx or PE with moderate MDM	-57, -25, -GC	1, 2, 4, 7
	59820, Treatment of missed abortion, completed surgically; first trimester		1
	76801, Ob ultrasound < 14 weeks gestation		
	76817, Ultrasound, preg uterus, real time with image documentation, transvaginal	-26, -GC	5
	36415, venipuncture	-GC	6
ICD-10-CM Code Choices			
1	O02.1, Missed abortion		
2	Z30.011, Encounter for initial prescription of contraceptive pills		
3	Z30.09, Encounter for other general counseling and advice on contraception		
4	O26.21, Pregnancy care for patient with recurrent pregnancy loss, first trimester		
5	Z36.2, Encounter for other antenatal screening follow-up		
6	Z31.438, Encounter for other genetic testing of female for procreative management		
7	Z3A.09, 9 weeks gestation of pregnancy		
HCPCS Codes			

Case 9: Possible other billable services

- 96372, IM injection
 - J1885, ketorolac tromethamine, per 15 mg
 - J2550, promethazine hcl, up to 50 mg

 - J2788/J2709, Rh immune globulin 50 or 300 mcg
 - J2210, methylergonovine maleate, up to 0.2 mg

- Case 6: Medication abortion with ultrasound follow up
- Case 9: EPL Case 1 – Office evaluation and D&C
- Case 7: First Trimester D&C abortion with immediate copper IUD insertion
- Case 14: Induction Abortion With Digoxin
- Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up
- Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS
- Case 12: Outpatient consultation for D&E, D&E procedure in office
- Case 8: Pregnancy of Unknown Location, requiring second D&C
- Case 11: EPL Case 3 – ultrasound guidance by another provider
- Case 15: Pre-abortion procedures with Office Delivery

Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up

Initial encounter

- 33yo G4P1021 comes to confirm viability after 4mm CRL with no HR
- After ultrasound diagnosis of EPL and options counseling: chooses medical management
- Has office labs and medications administered

Follow-up encounter

- Returns for follow up; ultrasound confirms unsuccessful medication
- After discussing options: chooses aspiration
- Has D&C with moderate sedation

Case 10, Initial Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx or PE and moderate complexity MDM		
	99213, expanded problem focused hx or PE, low complexity MDM		
	76801, Ob ultrasound < 14 weeks gestation		
	76817, Ultrasound, pregnant uterus, real time with image documentation, transvaginal		
	59840, Induced abortion, by dilation and curettage		
ICD-10-CM Code Choices			
1	O02.1, Missed abortion		
2	Z36.2, Encounter for other antenatal screening follow-up		
3	Z30.09, Encounter for other general counseling and advice on contraception		
4	O36.80X0, Pregnancy with inconclusive fetal viability, not applicable or unspecified		
5	Z36.89, Encounter for other specified antenatal screening		
HCPCS Codes			
	S0190, Mifepristone, oral, 200 mg		
	S0191, Misoprostol, oral, 200 mcg		
	J3490, unclassified drug		

Case 10, Initial Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx or PE and moderate complexity MDM	-25	1
	99213, expanded problem focused hx or PE, low complexity MDM		
	76801, Ob ultrasound < 14 weeks gestation		
	76817, Ultrasound, preg uterus, real time with image documentation, transvaginal	-26	2
	59840, Induced abortion, by dilation and curettage		
ICD-10-CM Code Choices			
1	O02.1, Missed abortion		
2	Z36.2, Encounter for other antenatal screening follow-up		
3	Z30.09, Encounter for other general counseling and advice on contraception		
4	O36.80X0, Pregnancy with inconclusive fetal viability, not applicable or unspecified		
5	Z36.89, Encounter for other specified antenatal screening		
HCPCS Codes			
	S0190, Mifepristone, oral, 200 mg		
	S0191, Misoprostol, oral, 200 mcg		
	J3490, unclassified drug		

Case 10, Follow-up Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx and exam and moderate complexity MDM		
	99215, comprehensive hx or PE and high complexity of MDM		
	76817, OB transvaginal ultrasound		
	76801, OB ultrasound <14 weeks		
	59820, Treatment of missed abortion, completed surgically; first trimester		
ICD-10-CM Code Choices			
1	O02.1, Missed abortion		
2	Z36.2, Encounter for other antenatal screening follow-up		
3	Z36.89, Encounter for other specified antenatal screening		
4	Z30.09, Encounter for other general counseling and advice on contraception		
HCPCS Codes			

Case 10, Follow-up Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx and exam and moderate complexity MDM	-57, -25	1
	99215, comprehensive hx or PE and high complexity of MDM		
	76817, OB transvaginal ultrasound	-26	2
	76801, OB ultrasound <14 weeks		
	59820, Treatment of missed abortion, completed surgically; first trimester		1
ICD-10-CM Code Choices			
1	O02.1, Missed abortion		
2	Z36.2, Encounter for other antenatal screening follow-up		
3	Z36.89, Encounter for other specified antenatal screening		
4	Z30.09, Encounter for other general counseling and advice on contraception		
HCPCS Codes			

Case 10: Possible other billable services

- 36415, venipuncture*
- 64435, paracervical block*
- 96374/96375, IV push, initial and subsequent substance/med
 - J2250 midazolam hydrochloride, 1 mg
 - J3010 fentanyl citrate, 0.1 mg
 - J2550, promethazine hcl, up to 50 mg
- 99152/99153, moderate sedation performed by the surgeon*
 - Requires modifier -47 on surgical code
- 99156/99157, moderate sedation performed by another physician

- Case 6: Medication abortion with ultrasound follow up
- Case 9: EPL Case 1 – Office evaluation and D&C
- Case 7: First Trimester D&C abortion with immediate copper IUD insertion
- Case 14: Induction Abortion With Digoxin
- Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up
- Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS
- Case 12: Outpatient consultation for D&E, D&E procedure in office
- Case 8: Pregnancy of Unknown Location, requiring second D&C
- Case 11: EPL Case 3 – ultrasound guidance by another provider
- Case 15: Pre-abortion procedures with Office Delivery

Case 11: EPL Case 3 – ultrasound guidance by another provider

Operative report

- 7 week missed AB managed surgically with D&C in the OR
- Dr. Bones, Radiology, provides ultrasound guidance
- Anesthesia provides general anesthesia with LMA

Case 11

CPT	CPT Code Choices	Modifier	ICD Choice
	59820, Treatment of missed abortion, completed surgically; first trimester		
	76998, intraoperative ultrasound guidance		
ICD-10-CM Code Choices			
1	O02.1, Missed abortion		
2	Z36.2, Encounter for other antenatal screening follow-up		
HCPCS Codes			

Case 11

CPT	CPT Code Choices	Modifier	ICD Choice
	59820, Treatment of missed abortion, completed surgically; first trimester		1
	76998, intraoperative ultrasound guidance		
ICD-10-CM Code Choices			
1	O02.1, Missed abortion		
2	Z36.2, Encounter for other antenatal screening follow-up		
HCPCS Codes			

- Case 6: Medication abortion with ultrasound follow up
- Case 9: EPL Case 1 – Office evaluation and D&C
- Case 7: First Trimester D&C abortion with immediate copper IUD insertion
- Case 14: Induction Abortion With Digoxin
- Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up
- Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS
- Case 12: Outpatient consultation for D&E, D&E procedure in office
- Case 8: Pregnancy of Unknown Location, requiring second D&C
- Case 11: EPL Case 3 – ultrasound guidance by another provider
- Case 15: Pre-abortion procedures with Office Delivery

Case 12: Outpatient consultation for D&E, D&E procedure in office

Initial encounter

- 27yo G1 at 21.6 weeks with anomalies and IUGR and uterine fibroids comes for termination options counseling
- After ultrasound and options counseling: chooses D&E
- Has office labs and medications administered
- Has cervical osmotic dilators placed and intrafetal digoxin injection

Follow-up encounter

- Returns next day for standard D&E with moderate sedation

Case 12, Initial Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx or PE and moderate MDM		
	99215, comprehensive hx or PE and high complexity MDM		
	76805, OB ultrasound > 14 weeks		
	76816, OB ultrasound, follow-up		
	59866, Multifetal pregnancy reduction(s) (MPR)		
	59897, Unlisted fetal invasive procedure, including ultrasound guidance, when performed		
	59200, Insertion of cervical dilator (eg, laminaria, prostaglandin) (separate procedure)		
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	O36.5920, Maternal care for other known or suspected poor fetal growth, second trimester, not applicable or unspecified		
3	O41.02X0, Oligohydramnios, second trimester, not applicable or unspecified		
4	Z36.2, Encounter for other antenatal screening follow-up		
5	Z3A.19, 19 weeks gestation of pregnancy		
6	Z3A.21, 21 weeks gestation of pregnancy		
HCPCS Codes			
	J1160, Injection, digoxin, up to 0.5 mg		

Case 12, Initial Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx or PE and moderate MDM	-25, -GC	1, 2, 3, 6
	99215, comprehensive hx or PE and high complexity MDM		
	76805, OB ultrasound > 14 weeks		
	76816, OB ultrasound, follow-up	-26, -GC	4
	59866, Multifetal pregnancy reduction(s) (MPR)		
	59897, Unlisted fetal invasive procedure, including ultrasound guidance, when performed	-GC	1, 2, 3, 6
	59200, Insertion of cx dilator (eg, laminaria, prostaglandin) (separate procedure)	-51, -GC	1, 2, 3, 6
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	O36.5920, Maternal care for other known or suspected poor fetal growth, second trimester, not applicable or unspecified		
3	O41.02X0, Oligohydramnios, second trimester, not applicable or unspecified		
4	Z36.2, Encounter for other antenatal screening follow-up		
5	Z3A.19, 19 weeks gestation of pregnancy		
6	Z3A.21, 21 weeks gestation of pregnancy		
HCPCS Codes			
x2	J1160, Injection, digoxin, up to 0.5 mg		

Case 12, Follow-up Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	59840, Induced abortion, by dilation and curettage		
	59841, Induced abortion, by dilation and evacuation		
	76998, intraoperative ultrasound guidance		
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	O36.5920, Maternal care for other known or suspected poor fetal growth, second trimester, not applicable or unspecified		
3	O41.02X0, Oligohydramnios, second trimester, not applicable or unspecified		
4	Z36.2, Encounter for other antenatal screening follow-up		
5	Z3A.19, 19 weeks gestation of pregnancy		
6	Z3A.21, 21 weeks gestation of pregnancy		
HCPCS Codes			

Case 12, Follow-up Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	59840, Induced abortion, by dilation and curettage		
	59841, Induced abortion, by dilation and evacuation	-22*	1, 2, 3, 6
	76998, intraoperative ultrasound guidance		1, 2, 3, 6
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	O36.5920, Maternal care for other known or suspected poor fetal growth, second trimester, not applicable or unspecified		
3	O41.02X0, Oligohydramnios, second trimester, not applicable or unspecified		
4	Z36.2, Encounter for other antenatal screening follow-up		
5	Z3A.19, 19 weeks gestation of pregnancy		
6	Z3A.21, 21 weeks gestation of pregnancy		
HCPCS Codes			

Case 12: Possible other billable services

- 36415, venipuncture*
- 64435, paracervical block*
- 96374/96375, IV push, initial and subsequent substance/med
 - J3010 fentanyl citrate, 0.1 mg
 - J2250 midazolam hydrochloride, 1 mg
- 99152/99153, moderate sedation performed by the surgeon*
 - Requires modifier -47 on surgical code
- 99156/99157, moderate sedation performed by another physician
- 99635/99636, IV infusion

- Case 6: Medication abortion with ultrasound follow up
- Case 9: EPL Case 1 – Office evaluation and D&C
- Case 7: First Trimester D&C abortion with immediate copper IUD insertion
- Case 14: Induction Abortion With Digoxin
- Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up
- Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS
- Case 12: Outpatient consultation for D&E, D&E procedure in office
- Case 8: Pregnancy of Unknown Location, requiring second D&C
- Case 11: EPL Case 3 – ultrasound guidance by another provider
- Case 15: Pre-abortion procedures with Office Delivery

Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS

Initial encounter

- G4P1021 at 20.4 weeks comes for termination
- History of AV canal repair, cesarean delivery; US confirms dates
- Has office labs and medications administered
- Has cervical osmotic dilators placed and intrafetal digoxin injection
- Plan for D&E in OR

Hospital encounter

- Admitted, passed pregnancy in preop, had D&C for placenta and LNG IUS placement

Case 13, Initial Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx or PE and moderate MDM		
	76805, OB ultrasound > 14 weeks		
	59897, Unlisted fetal invasive procedure, including ultrasound guidance, when performed		
	59200, Insertion of cervical dilator (eg, laminaria, prostaglandin) (separate procedure)		
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	Z87.74, Personal history of (corrected) congenital malformations of heart and circulatory system		
3	Z86.79, Personal history of other diseases of the circulatory system		
4	Z64.0, Problems related to unwanted pregnancy		
5	I34.0, Nonrheumatic mitral (valve) insufficiency		
6	I36.1, Nonrheumatic tricuspid (valve) insufficiency		
HCPCS Codes			
	J1160, Injection, digoxin, up to 0.5 mg		

Case 13, Initial Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	99214, detailed hx or PE and moderate MDM	-25, -GC	1, 2, 3, 4, 5 ***
	76805, OB ultrasound > 14 weeks		
	59897, Unlisted fetal invasive procedure, including ultrasound guidance, when performed		1, 2, 3, 4, 5
	59200, Insertion of cx dilator (eg, laminaria, prostaglandin) (separate procedure)	-51	1, 2, 3, 4, 5 ***
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	Z87.74, Personal history of (corrected) congenital malformations of heart and circulatory system		
3	Z86.79, Personal history of other diseases of the circulatory system		
4	Z64.0, Problems related to unwanted pregnancy		
5	I34.0, Nonrheumatic mitral (valve) insufficiency		
6	I36.1, Nonrheumatic tricuspid (valve) insufficiency		
HCPCS Codes			
x2	J1160, Injection, digoxin, up to 0.5 mg		

Case 13, Follow-up Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	59841, Induced abortion, by dilation and evacuation		
	59840, induced abortion, by dilation and curettage		
	59856, Induced abortion, by 1 or more vaginal suppositories (eg, prostaglandin) with or without cervical dilation (eg, laminaria), including hospital admission and visits, delivery of fetus and secundines; with dilation and curettage and/or evacuation		
	59812, Treatment of incomplete abortion, any trimester, completed surgically		
	58300, Insertion of intrauterine device (IUD)		
	76998, Ultrasonic guidance, intraoperative		
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	O07.4, Failed attempted termination of pregnancy without complication		
3	Z87.74, Personal history of (corrected) congenital malformations of heart and circulatory system		
4	Z86.79, Personal history of other diseases of the circulatory system		
5	Z64.0, Problems related to unwanted pregnancy		
6	I34.0, Nonrheumatic mitral (valve) insufficiency		
7	I36.1, Nonrheumatic tricuspid (valve) insufficiency		
8	Z30.430, Encounter for insertion of intrauterine contraceptive device		
HCPCS Codes			
	J7297, Levonorgestrel-releasing intrauterine contraceptive system (liletta), 52 mg		
	J7298, Levonorgestrel-releasing intrauterine contraceptive system (Mirena), 52 mg		
	J7300, Intrauterine copper contraceptive		

Case 13, Follow-up Encounter

CPT	CPT Code Choices	Modifier	ICD Choice
	59841, Induced abortion, by dilation and evacuation		
	59840, induced abortion, by dilation and curettage		
	59856, Induced abortion, by 1 or more vaginal suppositories (eg, prostaglandin) with or without cervical dilation (eg, laminaria), including hospital admission and visits, delivery of fetus and secundines; with dilation and curettage and/or evacuation	*** -GC	1, 3, 4, 5, 6
	59812, Treatment of incomplete abortion, any trimester, completed surgically		
	58300, Insertion of intrauterine device (IUD)	-51, -GC	8
	76998, Ultrasonic guidance, intraoperative	-GC	1, 8
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	O07.4, Failed attempted termination of pregnancy without complication		
3	Z87.74, Personal history of (corrected) congenital malformations of heart and circulatory system		
4	Z86.79, Personal history of other diseases of the circulatory system		
5	Z64.0, Problems related to unwanted pregnancy		
6	I34.0, Nonrheumatic mitral (valve) insufficiency		
7	I36.1, Nonrheumatic tricuspid (valve) insufficiency		
8	Z30.430, Encounter for insertion of intrauterine contraceptive device		
HCPCS Codes			
	J7297, Levonorgestrel-releasing intrauterine contraceptive system (liletta), 52 mg		
	J7298, Levonorgestrel-releasing intrauterine contraceptive system (Mirena), 52 mg		
	J7300, Intrauterine copper contraceptive		

- Case 6: Medication abortion with ultrasound follow up
- Case 9: EPL Case 1 – Office evaluation and D&C
- Case 7: First Trimester D&C abortion with immediate copper IUD insertion
- Case 14: Induction Abortion With Digoxin
- Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up
- Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS
- Case 12: Outpatient consultation for D&E, D&E procedure in office
- Case 8: Pregnancy of Unknown Location, requiring second D&C
- Case 11: EPL Case 3 – ultrasound guidance by another provider
- Case 15: Pre-abortion procedures with Office Delivery

Case 14: Induction Abortion With Digoxin

Scenario 14a

- 24.5 weeks with lethal anomalies comes for induction abortion
- Has office labs and medications administered
- Has intrafetal digoxin injection
- Comes to L&D where she receives misoprostol vaginally until delivery
- Uncomplicated delivery and she is discharged


Case 14: Induction Abortion With Digoxin

Scenario 14b

- 24.5 weeks with lethal anomalies comes for induction abortion
- Has office labs and medications administered
- Has intrafetal digoxin injection
- Comes to L&D where she receives a cervical balloon catheter and oxytocin until delivery
- Uncomplicated delivery and she is discharged

Case 14a, Induction with misoprostol

CPT	CPT Code Choices	Modifier	ICD Choice
	outpatient encounter		
	initial inpatient encounter		
	59897, Unlisted fetal invasive procedure, including ultrasound guidance, when performed		
	59850, Induced abortion, by 1 or more intra-amniotic injections (amniocentesis-injections), including hospital admission and visits, delivery of fetus and secundines;		
	59409, Vaginal delivery only (with or without episiotomy and/or forceps);		
	prolonged inpatient services		
	discharge day management		
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	O35.----, Maternal care for known or suspected fetal abnormality and damage		
HCPCS Codes			
	J1160, Injection, digoxin, up to 0.5 mg		
	S0190, Mifepristone		
	S0199, Medically induced abortion by oral ingestion of medication including all associated services and supplies (e.g., patient counseling, office visits, confirmation of pregnancy by HCG, ultrasound to confirm duration of pregnancy, ultrasound to confirm completion of abortion) except drugs		




Case 14a, Induction with misoprostol

CPT	CPT Code Choices	Modifier	ICD Choice
	outpatient encounter		
	initial inpatient encounter	-25	1, 2
	59897, Unlisted fetal invasive procedure, including ultrasound guidance, when performed		1, 2
	59850, Induced abortion, by 1 or more intra-amniotic injections (amniocentesis-injections), including hospital admission and visits, delivery of fetus and secundines;		
	59409, Vaginal delivery only (with or without episiotomy and/or forceps);		1, 2
	prolonged inpatient services		1, 2
	discharge day management		1, 2
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	O35.-----, Maternal care for known or suspected fetal abnormality and damage		
HCPCS Codes			
x2	J1160, Injection, digoxin, up to 0.5 mg		
	S0190, Mifepristone		
	S0199, Medically induced abortion by oral ingestion of medication including all associated services and supplies (e.g., patient counseling, office visits, confirmation of pregnancy by HCG, ultrasound to confirm duration of pregnancy, ultrasound to confirm completion of abortion) except drugs		
	59855 Induced abortion, by 1 or more vaginal suppositories (eg, prostaglandin) with or without cervical dilation (eg, laminaria), including hospital admission and visits, delivery of fetus and secundines		

Case 14b, Induction with bulb / oxytocin

CPT	CPT Code Choices	Modifier	ICD Choice
	outpatient encounter		
	initial inpatient encounter		
	59897, Unlisted fetal invasive procedure, including ultrasound guidance, when performed		
	59855, Induced abortion, by 1 or more vaginal suppositories (eg, prostaglandin) with or without cervical dilation (eg, laminaria), including hospital admission and visits, delivery of fetus and secundines;		
	59409, Vaginal delivery only (with or without episiotomy and/or forceps);		
	59899, Unlisted procedure, maternity care and delivery		
	prolonged inpatient services		
	discharge day management		
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	O35.-----, Maternal care for known or suspected fetal abnormality and damage		
HCPCS Codes			
	J1160, Injection, digoxin, up to 0.5 mg		
	S0190, Mifepristone		
	S0199, Medically induced abortion by oral ingestion of medication including all associated services and supplies (e.g., patient counseling, office visits, confirmation of pregnancy by HCG, ultrasound to confirm duration of pregnancy, ultrasound to confirm completion of abortion) except drugs		

Case 14b, Induction with bulb / oxytocin



CPT	CPT Code Choices	Modifier	ICD Choice
	outpatient encounter		
	initial inpatient encounter		1, 2
	59897, Unlisted fetal invasive procedure, including ultrasound guidance, when performed		1, 2
	59855, Induced abortion, by 1 or more vaginal suppositories (eg, prostaglandin) with or without cervical dilation (eg, laminaria), including hospital admission and visits, delivery of fetus and secundines;		
	59409, Vaginal delivery only (with or without episiotomy and/or forceps);		1, 2
	59899, Unlisted procedure, maternity care and delivery / 59200 insert cx dilator		1, 2
	prolonged inpatient services		1, 2
	discharge day management		1, 2
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	O35.-----, Maternal care for known or suspected fetal abnormality and damage		
HCPCS Codes			
x2	J1160, Injection, digoxin, up to 0.5 mg		
	S0190, Mifepristone		
	S0199, Medically induced abortion by oral ingestion of medication including all associated services and supplies (e.g., patient counseling, office visits, confirmation of pregnancy by HCG, ultrasound to confirm duration of pregnancy, ultrasound to confirm completion of abortion) except drugs		

- Case 6: Medication abortion with ultrasound follow up
- Case 9: EPL Case 1 – Office evaluation and D&C
- Case 7: First Trimester D&C abortion with immediate copper IUD insertion
- Case 14: Induction Abortion With Digoxin
- Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up
- Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS
- Case 12: Outpatient consultation for D&E, D&E procedure in office
- Case 8: Pregnancy of Unknown Location, requiring second D&C
- Case 11: EPL Case 3 – ultrasound guidance by another provider
- Case 15: Pre-abortion procedures with Office Delivery

Case 15: Pre-abortion procedures with Office Delivery

[Initial encounter: GA not stated; anomalies and desires intact D&E; intrafetal digoxin and osmotic dilator procedures performed]

Follow-up encounter 1

- Returns for additional osmotic dilators
- Has previous laminaria removed and new laminaria placed

Follow-up encounter 2 (same-day)

- Returns with cramps and pain; delivers fetus and placenta
- IV placed and patient observed in office

Case 15

CPT	CPT Code Choices	Modifier	ICD Choice
	59855, Induced abortion, by 1 or more vaginal suppositories (eg, prostaglandin) with or without cervical dilation (eg, laminaria), including hospital admission and visits, delivery of fetus and secundines;		
	99215, comp hx or PE with high complexity MDM, 40 minutes typical face-to-face time		
	99214, detailed hx or PE with moderate MDM, 25 minutes typical face-to-face time		
	99354, first hour prolonged outpatient services		
	99355, each add 30 minutes prolonged outpatient services		
	59200, Insertion of cervical dilator (eg, laminaria, prostaglandin) (separate procedure)		
	99360, IV infusion for hydration, first hour		
	99361, IV infusion for hydration, each add 1 hour		
	99365, IV infusion, first hour		
	99366, IV infusion, each add 1 hour		
	bedside ultrasound		
ICD-10-CM Code Choices			
1	Z33.2, Encounter for elective termination of pregnancy		
2	O35.-----, Maternal care for known or suspected fetal abnormality and damage		
HCPCS Codes			
	J3490, unlisted drug		
	A4550, surgical trays		
	99070 (supplies over and above those normally provided)		

- Case 6: Medication abortion with ultrasound follow up
- Case 9: EPL Case 1 – Office evaluation and D&C
- Case 7: First Trimester D&C abortion with immediate copper IUD insertion
- Case 14: Induction Abortion With Digoxin
- Case 10: EPL Case 2 – Medical management of miscarriage, requiring D&C on follow up
- Case 13: Outpatient H&P for D&E; hospital admission; D&C of placenta; LNG-IUS
- Case 12: Outpatient consultation for D&E, D&E procedure in office
- Case 8: Pregnancy of Unknown Location, requiring second D&C
- Case 11: EPL Case 3 – ultrasound guidance by another provider
- Case 15: Pre-abortion procedures with Office Delivery

Thank you!